

Claims

1. (Currently Amended) A method for absorbing leakage from an anus of a subject, comprising positioning ~~an~~ a non-adhesive intergluteal absorbent pad external to the subject's anal orifice such that the pad is retained frictionally between the buttocks without an adhesive to attach the pad to the buttocks, so that discharge from the anus is absorbed by the absorbent material of the pad.

2. (Previously Presented) The method of claim 1, further comprising absorbing discharge from the anus in the absorbent material of the pad.

3. (Original) The method of claim 1, wherein the absorbent material is a highly absorbent non-swellable material.

4. (Original) The method of claim 1, wherein the pad has a uniform cross-section along its entire length or is tapered along its length.

5. (Original) The method of claim 1, wherein the pad has a minor portion superimposed on a major portion, the minor portion having a cross-sectional area smaller than a cross-sectional are of the major portion and wherein the minor portion is tapered to facilitate insertion between the subject's gluteals and retention in the intergluteal space, and a portion of the minor portion is positioned against the subject's anus.

6. (Previously Presented) The method of claim 5, wherein the minor and major portions of the pad have a elliptical cross-section with a major axis, wherein the major axis of the minor portion is less than the major axis of the major portion.

7. (Original) The method of claim 1, wherein the pad includes an agent for absorbing odors.

8. (Previously Presented) The method of claim 1, wherein the pad carries a therapeutically effective amount of a medicinal agent that is dispensed from the pad for anal delivery of the agent, and the subject is a subject in need of the medicinal agent.

9. (Original) The method of claim 8, wherein the medicinal agent is an anesthetic or a lubricant.

10. (Previously Presented) The method of claim 1 wherein the pad is placed between the buttocks of the subject and absorbs excess leakage from the anus, and wherein the leakage comprises fecal material, glandular secretions, and/or blood.

11. (Previously Presented) The method of claim 1, wherein the pad is placed between the buttocks of the subject and absorbs excess suppository leakage, flatulence, hemorrhoid bleeding, fissure bleeding, or fecal incontinence.

12. (Original) The method of claim 1, wherein the pad is placed external to the anal sphincter, against the anal orifice.

13. (Original) The method of claim 1, wherein the pad has a tapered leading edge that is inserted between the subject's buttocks to push the buttocks apart as the leading edge of the pad is inserted between the buttocks.

14. (Original) The method of claim 13, wherein the tapered leading edge is positioned against the anal orifice, and a remainder of the pad has a width which is wider than a normal anatomic intergluteal space, such that the remainder of the pad is frictionally engaged and retained by opposing gluteals.

15. (Original) The method of claim 14, wherein the pad is elongated and positioned adjacent and external to the anal orifice but not a vaginal orifice.

16. (Original) The method of claim 1, further comprising performing a diagnostic test on the discharge from the anus.

17. (Original) The method of claim 16, wherein the diagnostic test is an analysis of occult blood in a discharge including stool.

18. (Currently Amended) A method for absorbing leakage from a subject's anus, comprising inserting a non-adhesive pad into the subject's intergluteal space, positioning the pad adjacent to the subject's external anal orifice, and absorbing leakage from the subject's anus into the pad, wherein the pad is non-adhesive and is retained frictionally between the buttocks without an adhesive to attach the pad to the buttock, devoid of corners and flat surfaces intermediate its ends, and the pad has a minor portion superimposed on a major portion, the minor portion having a cross-sectional area smaller than a cross-sectional area of the major portion, wherein both the minor and the major portion are curvilinear in cross-section, and wherein the minor portion facilitates insertion between the subject's buttocks and retention in the anal space.

19. (Previously Presented) The method of claim 18, wherein the pad includes an odor-absorbing agent.

20. (Original) The method of claim 18, wherein the pad is elongated and has a uniform cross-section along its entire length, or is tapered along its length.

21. (Previously Presented) The method of claim 20, wherein the pad is elongated, and, when placed in the intergluteal space, extends external to the anal orifice and a vaginal opening to absorb leakage from the vagina in addition to leakage from the anus.

22. (Original) The method of claim 18, wherein the pad carries a therapeutically effective amount of a medicinal agent, and positioning the pad comprises administering the medicinal agent to the subject.

23. (Original) The method of claim 22, wherein the medicinal agent is an anesthetic or a lubricant.

24. (Previously Presented) The method of claim 18, wherein the pad is placed between the buttocks of the subject to absorb excess leakage from the anus, and wherein the leakage comprises fecal material, anal glandular secretions, and/or anal blood.

25. (Previously Presented) The method of claim 18, wherein the pad is placed between the buttocks of the subject to absorb excess suppository leakage, flatulence, hemorrhoid bleeding, anal fissure bleeding, or fecal incontinence.

26. (Original) The method of claim 18, wherein the pad is placed external to the anal sphincter.

27. (Original) The method of claim 18, wherein the pad has a tapered leading edge that is inserted between the subject's buttocks to push the buttocks apart as the leading edge of the pad is inserted between the buttocks.

28. (Original) The method of claim 27, wherein the tapered leading edge is positioned against the anal orifice, and a remainder of the pad has a width which is wider than a normal anatomic intergluteal space, such that the remainder of the pad is frictionally engaged and retained by opposing gluteals.

29. (Original) The method of claim 18, further comprising performing a diagnostic test on the discharge from the anus.

30. (Original) The method of claim 29, wherein the diagnostic test is an analysis of occult blood in a discharge including stool.

31. (Currently Amended) A method for treating a symptom of a subject with hemorrhoids, comprising positioning ~~on a non-adhesive~~ intergluteal elongated absorbent pad such that the pad is retained frictionally between the buttocks external to the subject's anus without any adhesive to attach the pad to the buttocks, wherein the pad comprises a longitudinally extending major portion and a longitudinally extending minor portion integrated with the posterior portion, wherein the minor portion has a smaller transverse section diameter relative to the larger transverse section diameter of the major portion, wherein the minor portion is designed for insertion of the pad between the subject's buttocks in the anatomic intergluteal space adjacent to the anus, and the major portion is attached to the anterior portion such that is retained between the buttocks, wherein insertion and retention of the pad adjacent to the anus alleviates a symptom of the hemorrhoids.

32. (Original) The method of claim 31, wherein the minor and major portions of the pad have a length greater than their width, and the shape of the pad substantially conforms to the intergluteal space in which the pad is retained.

33. (Original) The method of claim 31, wherein the pad is held between the buttocks without adhesives or attachment to a supporting garment.

34. (Original) The method of claim 31, wherein the major portion of the pad has longitudinally extending, opposed, substantially parallel face portions.

35. (Original) The method of claim 31, wherein the minor portion of the pad has longitudinally extending, opposed substantially parallel face portions.

36. (Original) The method of claim 35, wherein the opposed flat face portions of the pad are substantially parallel.

37. (Original) The method of claim 35, wherein the opposed flat face portions of the pad are substantially convergent.

38. (Original) The method of claim 31, wherein the minor portion of the pad has longitudinally extending, opposed substantially parallel face portions.

39. (Original) The method of claim 38, wherein the opposed flat face portions of the pad are substantially parallel.

40. (Original) The method of claim 38, wherein the opposed flat face portions of the pad are substantially convergent.

41. (Original) The method of claim 31, wherein the minor and major portions of the pad have a shoulder shaped junction.

42. (Original) The method of claim 31, wherein the pad carries a therapeutically effective amount of a medicinal agent, and positioning the pad comprises administering the medicinal agent to the subject.

43. (Original) The method of claim 42, wherein the medicinal agent is an anesthetic or a lubricant.

44. (Currently Amended) A method for absorbing leakage from an anus of a subject, comprising positioning ~~an~~ a non-adhesive intergluteal absorbent pad external to the subject's anal orifice such that the pad is frictionally retained between the buttocks without an adhesive attaching the pad to the buttocks, so that discharge from the anus is absorbed by the absorbent material of the pad, wherein the pad includes a cavity in which a medicinal agent is placed prior to positioning the pad.

45. (Original) The method of claim 44, wherein the cavity is compressed between the buttocks when the pad is positioned.

46. (Original) The method of claim 45, wherein the cavity communicates with an exterior surface of the pad.

47. (Original) The method of claim 46, wherein the cavity is a recess in an exterior surface of the pad.

48. (Original) The method of claim 44, wherein the pad is elongated, and the cavity extends longitudinally along the pad.

49. (Previously Presented) The method of claim 25, wherein the leakage comprises flatulence or fecal matter, and the method further comprises absorbing flatulence or fecal matter in the pad.

50. (Previously Presented) The method of claim 1, wherein the discharge comprises flatulence or fecal matter, and the method further comprises absorbing flatulence or fecal matter in the pad.

51. (Previously Presented) The method of claim 50, wherein the pad comprises an odor absorbing material, and the pad neutralizes odor of the flatulence or fecal matter in the pad.

52. (Currently Amended) The method of claim 51, wherein the odor ~~odor~~ absorbing material comprises activated charcoal.